


Proceedings

FIRST INTERNATIONAL CONFERENCE ON ADVANCED STRUCTURAL STEELS (ICASS 2002)



Date

May 22-24, 2002

Place

**Tsukuba International Congress Center
Tsukuba, Japan**

Organized by

National Institute for Materials Science (NIMS)

In Conjunction with

**The Iron and Steel Institute of Japan
Chinese Society for Metals
Korean Institute of Metals and Materials**

Contents

Preface

Conference Organization

Plenary Session

| | |
|--|---|
| Microstructure Refinement in Structural Steels ----- | 1 |
| Weng Yuqin (<i>The Chinese Society for Metals, China</i>) | |
| Properties of Fine Grained Steel Produced by SIDT Process and Improvement of HAZ Properties by Using Thermally Stable TiN Particles ----- | 3 |
| W. -Y. Choo (<i>POSCO, Korea</i>) | |
| Present Status and Perspectives of European Research in the Field of Advanced Structural Steels ----- | 5 |
| G. Buzzichelli, E. Anelli (<i>Centro Sviluppo Materiali S.p.A, Italy</i>) | |

Ultrafine Grained Steels: General View

| | |
|---|---|
| Invited Lecture: Achievements in the Super-Metal Project and its Future Prospects ----- | 7 |
| S. Aihara (<i>Ferrous Super Metal Consortium of JRCM, Japan</i>) | |
| Invited Lecture: Goal of the Creation and Properties of Nano-Scale Steel ----- | 9 |
| A. Azushima (<i>Yokohama Nat. Univ., Japan</i>) | |

UGS: Phase Transformation I

| | |
|--|----|
| Effects of Processing Parameters of Strain-Induced Dynamic Transformation on the Microstructures and Mechanical Properties of Ultrafine-Grained Low Carbon Steels ----- | 11 |
| J. K. Choi, D. H. Seo, J. S. Lee, K. K. Um, W. Y. Choo, (<i>POSCO, Korea</i>) | |
| Ultrafine Grained Steels Through Thermomechanical Processing ----- | 13 |
| G. L. Kelly, H. Beladi, P. D. Hodgson (<i>Deakin Univ., Australia</i>) | |

UGS: Phase Transformation II

| | |
|---|----|
| Deformation Induced Ferrite Transformation and Grain Refinement in Steels ----- | 15 |
| H. Dong (<i>Central Iron and Steel Res. Inst., China</i>) | |
| Grain Refinement in Cu Bearing Steel Through Dynamic $\gamma \rightarrow \alpha$ Transformation Followed by Dynamic α Recrystallization ----- | 17 |
| Y. Hirai, K. Hase, A. Matsuzaki, T. Hoshino, K. Amano (<i>Kawasaki Steel, Japan</i>), T. Tsuchiyama, S. Takaki (<i>Kyushu Univ., Japan</i>) | |
| Strain Induced Dynamic Transformation in Nb Containing Steel ----- | 19 |
| S. C. Hong, S. H. Lim, K. J. Lee, K. S. Lee (<i>Hanyang Univ., Korea</i>) | |
| Analysis of Microstructure of a Microalloyed Steel with Ultra Low Carbon Content During Deformation Induced Ferrite Transformation ----- | 21 |
| H. R. Hou, Q. Y. Liu, H. J. Chen, X. J. Sun, H. Dong (<i>Central Iron and Steel Res. Inst., China</i>) | |
| A FE Analysis of Ultra-Fine Grain Formation in a Simple Hot Rolling Process and Experimental Verification ----- | 23 |
| C. J. Huang, C. L. Mo, D. Z. Li, Y. Y. Li (<i>Inst. of Metal Res. Chinese Academy of Sci., China</i>) | |
| Development of Ultra-Fine Grain Steel in Pansteel ----- | 25 |
| L. Q. Song, L. Tang, J. Zuo, X. D. Cheng, K. H. Zhang (<i>Panzhuhua Iron and Steel Res. Inst., China</i>) | |

UGS: Phase Transformation III

| | |
|---|----|
| Research on Microstructures Evolution and Precipitation Behavior of Hot Strip of Low Carbon Steel Produced by CSP ----- | 27 |
| Y. L. Kang, K. L. Wang, H. Yu, J. Fu, D. L. Liu, (<i>Univ. of Sci. and Technol. Beijing, China</i>), Z. B. Wang, X. W. Chen (<i>Guangzhou Zhujiang Steel, China</i>) | |

| | |
|---|----|
| Refining Intermediate Transformation Microstructure by Relaxation Processing ----- | 29 |
| X. M. Wang, X. L. He, S. W. Yang, C. J. Shang (<i>Univ. of Sci. & Technol. Beijin , China</i>) | |
| Anisotropy of Interfacial Energy of B1-Precipitates with Iron ----- | 31 |
| Z. G. Yang (<i>Tsinghua Univ., China</i>), M. Enomoto (<i>Ibaraki Univ., Japan</i>) | |
| Non-Classical Analysis of the Nucleation of Cu Precipitates in Fe-Cu Alloys ----- | 33 |
| C. Zhang, M. Enomoto (<i>Ibaraki Univ., Japan</i>) | |
| UGS: Phase Transformation IV | |
| Structural Control of Steels Through Phase Transformations in High Magnetic Field ----- | 35 |
| H. Ohtsuka, H. Wada (<i>NIMS, Japan</i>) | |
| Influence of Refinement Processing on the Microstructure and Mechanical Properties of HSLA Plate Steel ----- | 37 |
| C. J. Shang, S. W. Yang, X. L. He, X. M. Wang (<i>Univ. of Sci. & Technol. Beijing , China</i>) | |
| The Formation of Ultra-Fine Grain Structure in Plain Carbon Steel ----- | 39 |
| Z. M. Yang, R. Z. Wang, Y. M. Che, Q. Chen (<i>Central Iron & Steel Res. Inst., China</i>) | |
| UGS: Severe Plastic Deformation and Related Phenomena I | |
| Invited Lecture: Mechanism of Nano-Crystal Formation by Large Plastic Deformation ----- | 41 |
| N. Tsuji (<i>Osaka Univ., Japan</i>) | |
| Fine-Grained Structures Developed along Grain Boundaries in a Cold-Rolled Austenitic Stainless Steel ----- | 43 |
| T. Morikawa, K. Higashida, T. Sato (<i>Kyushu Univ., Japan</i>) | |
| Microstructures and Tensile Properties of Ultrafine Grained Low Carbon Steels Processed by Equal Channel Angular Pressing ----- | 45 |
| K. T. Park [1], S. Y. Chang [2], D. H. Shin [3] [1]Hanbat Nat. Univ., Korea; [2]Hankuk Aviation Univ., Korea; [3]Hanyang Univ., Korea | |
| Partially Recrystallized Structures in Interstitial Free Steels After Severe Rolling and Ultra-Short Annealing ----- | 47 |
| A. C. C. Reis [1], R. Petrov [1], W. J. Kaluba [2], L. Kestens [1] [1]Ghent Univ., Belgium; [2]Universite' du Littoral Côte d' Opale, France | |
| Kinetics of Grain Refinement in a Stainless Steel by Large Strain Deformation ----- | 49 |
| A. Belyakov [1], T. Sakai [2], H. Miura [2], K. Tsuzaki [1] [1]NIMS, Japan; [2]Univ. of Electro Communications, Japan | |
| UGS: Severe Plastic Deformation and Related Phenomena II | |
| Invited Lecture: Deformation Behavior of Ultra-Fine-Grained Steels ----- | 51 |
| S. Takaki (<i>Kyushu Univ., Japan</i>) | |
| Invited Lecture: High-Resolution TEM Analysis of Defect Structures in Mechanically Milled, Nanocrystalline Fe ----- | 53 |
| J. M. Howe [1], M. Murayama [2], H. Hidaka [3], S. Takaki [3] [1]Univ. of Virginia, USA; [2]NIMS, Japan; [3]Kyushu Univ., Japan | |
| Nanocrystallization in Fe-C Alloys by Ball Milling and Ball Drop Test ----- | 55 |
| Y. Todaka, M. Umemoto, K. Tsuchiya (<i>Toyohashi Univ. of Technol., Japan</i>) | |
| Fabrication of Fine-Grained High Nitrogen Austenitic Steels Through Mechanical Alloying Treatment ----- | 57 |
| T. Tsuchiyama, H. Uchida, K. Kataoka, S. Takaki (<i>Kyushu Univ., Japan</i>) | |
| UGS: Severe Plastic Deformation and Related Phenomena III | |
| Effect of Oxide Addition on Thermal Stability of Ultra Fine-Grained Structure in Iron ----- | 59 |
| H. Hidaka, T. Tsuchiyama, S. Takaki (<i>Kyushu Univ., Japan</i>) | |
| Fabrication of Ultrafine Grained Austenitic Stainless Steels by Powder Metallurgy ----- | 61 |
| R. Ishibashi [1], H. Arakawa [2], H. Doi [1], Y. Aono [1] [1]Hitachi, Japan; [2]Hitachi Kyowa Engineering, Japan | |
| Ultra Refinement in Austenite Grain Size through the Spontaneous Reserve Transformation Due to Adiabatic Deformation Heating ----- | 63 |
| T. Yokota [1] [2], K. Sato [1] [2], M. Niikura [1] [2] [1] Ferrous Super Metal Consortium of JRCM, Japan; [2] NKK, Japan | |

| | |
|--|----|
| Refinement of Austenite Grain in a Medium-Carbon Low-Alloy Steel by Thermomechanical Processing ----- | 65 |
| Y. Kimura [1], S. Takagi [2], K. Tsuzaki [1] | |
| [1]NIMS, Japan; [2]Kawasaki Steel, Japan | |
| Evaluation of Grain Size Effect on the Strength of Fe-C Tempered Martensite Using Nanoindentation Techniques ----- | 67 |
| T. Ohmura, T. Hara, K. Tsuzaki (<i>NIMS, Japan</i>) | |

Deformation Behavior at High Strain Rate and the Modeling I

| | |
|--|----|
| Invited Lecture: Modeling for Common Evaluation Methods in High-Speed Deformation ----- | 69 |
| Y. Tomota, N.Tsuchida, J.-H. Park (<i>Ibaraki Univ., Japan</i>) | |
| Invited Lecture: High Strain Rate Deformation in High Strength Steels for Automotive Application ----- | 71 |
| T. Shimizu, S.Takagi, K. Miura, K. Sakata (<i>Kawasaki Steel, Japan</i>) | |
| Modelling of Microstructural Evolution and Prediction of Mechanical Properties of Strip Steel in Hot Rolling Process ----- | 73 |
| L. M. Wang, D. Z. Li, Y. J. Lan, C. L. Mo, Y. T. Zhang, Y. Y. Li (<i>Inst. of Metal Res. Chinese Academy of Sci., China</i>) | |
| High Speed Deformation for an Ultrafine-Grained Ferrite-Pearlite Steel ----- | 75 |
| N. Tsuchida [1], Y. Tomota [2], K. Nagai [3] | |
| [1]Japan Society for the Promotion of Sci., Japan; [2]Ibaraki Univ., Japan; [3]NIMS, Japan | |

Deformation Behavior at High Strain Rate and the Modeling II

| | |
|---|----|
| Invited Lecture: High Strength Steels and Their Application to Improve Crash Energy Absorption Property of Auto Bodies ----- | 77 |
| M. Takahashi, H. Yoshida, A. Uenishi, Y. Kuriyama (<i>Nippon Steel, Japan</i>) | |
| Behavior of Fine Lath-Like Microstructures During Tensile Test ----- | 79 |
| S. W. Yang, C. J. Shang, X. M. Wang, X. L. He (<i>Univ. of Sci. and Technol. Beijing, China</i>) | |
| Effects of Titanium Addition on Precipitate and Microstructural Control in C-Mn Microalloyed Steels ----- | 81 |
| M. Vedani, F. D' Errico, A. Mannucci (<i>Politecnico di Milano, Italy</i>) | |

High-Speed Deformation for TRIP Steel

| | |
|---|----|
| Invited Lecture: Supra-Ductile High-Manganese-TRIP-TWIP-Steels for High Energy Absorption Purposes ----- | 83 |
| G. Frommeyer, P. Neumann (<i>Max-Planck-Inst., Germany</i>) | |
| Deformation Behavior of Low Carbon TRIP Steels at High Strain Rates ----- | 85 |
| I. D. Choi [1], S. J. Kim [2], C. G. Lee [2], S. H. Park [3], D. Bruce [4], D. K. Matlock [4] | |
| [1]Korea Maritime Univ., Korea; [2]KIMM, Korea; | |
| [3]Automotive Steels Research Center, POSCO, Korea; [4]CSM, Golden, CO, USA | |
| Thermal and Mechanical Stability of Retained Austenite in Al-bearing TRIP Steels ----- | 87 |
| S. van der Zwaag [1.2], L. Zhao [1.2], S. O. Kruijver [1.2], J. Sietsma [2] | |
| [1]Netherland Inst. for Metals Res., Netherland; [2] Delft. Univ. of Tech., Netherland | |

High Strength Steels for Welded Structures I

| | |
|---|----|
| Invited Lecture: Achievements in Creation of Ultrafine-Grained Steel ----- | 89 |
| S. Torizuka, T. Inoue, A. Ohmori, T. Yamashita, T. Hanamura, K. Nagai (<i>NIMS, Japan</i>) | |
| Steel Plate Having Surface-Layers with Ultra-Fine Grained Microstructure (SUF Steel) and Its Welding Joint Properties ----- | 91 |
| T. Ishikawa, T. Inoue (<i>Nippon Steel, Japan</i>) | |
| Development of Ausformed Bainite Steel and Its Welding Joint Properties ----- | 93 |
| K. Fujiwara, S. Okaguchi, Y. Komizo, K. Arimochi, T. Kawabata, A. Nagayoshi (<i>Sumitomo Metal Indus., Japan</i>) | |

High Strength Steels for Welded Structures II

| | |
|---|----|
| Invited Lecture: Mechanical Properties of Welded Joints of Ultra-Fine Grained Steels ----- | 95 |
| Y. Kawaguchi (<i>NIMS, Japan</i>) | |
| High-Strength Extremely Low Carbon Bainitic Steels for Bridges and Buildings ----- | 97 |
| T. Hoshino, M. Okatsu, T. Kimura, K. Amano (<i>Kawasaki Steel, Japan</i>) | |

| | |
|--|----|
| Development of High Strength and Excellent Formability Steel Tube by Warm-Reducing | 99 |
| Y. Kawabata, T. Toyooka, M. Nishimori, M. Aratani (<i>Kawasaki Steel, Japan</i>) | |

| | |
|--|-----|
| Development of Low C HSLA Steel Plates and the Properties of Welded Joints for Pressure Vessel Use | 101 |
| K. Hayashi, K. Takahashi, M. Yuga, S. Suzuki, T. Kojima, T. Maeda (<i>NKK, Japan</i>) | |

Application of High Strength Steels

| | |
|--|-----|
| The Application and the Problems of High Strength Steel on Penstock in Chinese Hydroelectric Station | 103 |
| M. Li, J. W. Lin (<i>Quality Inspection & Test Center, China</i>) | |

| | |
|---|-----|
| Weldability of High Strength Stainless Steel Developed for Hydrofoils | 105 |
| S. Koga, A. Murakami, Y. Kojima (<i>Kawasaki Heavy Indus., Japan</i>) | |

| | |
|--|-----|
| Application of the High Strength Steel to the Building Structure | 107 |
| S.-W. Im, I.-H. Chang (<i>Res. Inst. of Indus. Sci. & Technol., Korea</i>) | |

| | |
|--|-----|
| Study on Design for High Strength Steels Structure | 109 |
| K. Inose, Y. Nakanishi, I. Imoto (<i>IHI, Japan</i>) | |

Microstructure of Welds and Mechanical Properties I

| | |
|---|-----|
| Invited Lecture: Role of Inclusions on acicular Ferrite and Bainitic Transformations in Steels | 111 |
| S. S. Babu, S. A. David (<i>Oak Ridge Nat. Lab., USA</i>) | |

| | |
|--|-----|
| Microstructure and Mechanical Properties of GMA Weld Metal for 950 MPa Class Steel | 113 |
| M. A. Gouda, M. Takahashi, T. Kuroda, K. Ikeuchi (<i>Osaka Univ., Japan</i>) | |

| | |
|--|-----|
| Fatigue Strength Improvement of Welded Joints by Low Transformation Temperature Welding Material | 115 |
| A. Ohta, N. Suzuki, Y. Maeda (<i>NIMS, Japan</i>) | |

| | |
|--|-----|
| Improvement of Fatigue Strength of Welded Joints by Using Low Temperature Transformation Welding Consumables | 117 |
| Y. Morikage, T. Kubo, K. Yasuda, K. Amano (<i>Kawasaki Steel, Japan</i>), C. Shiga (<i>NIMS, Japan</i>) | |

Microstructure of Welds and Mechanical Properties II

| | |
|--|-----|
| Invited Lecture: Chemical Overmatching of Weld Metal in Welding of Advanced High Strength Steel | 119 |
| N. Yurioka (<i>Nippon Steel, Japan</i>) | |

| | |
|---|-----|
| Invited Lecture: Factors Controlling Cold Crack Susceptibility of Weld Metal | 121 |
| H. J. Kim (<i>Korea Inst. of Indus. Technol., Korea</i>) | |

| | |
|---|-----|
| Development and Improvement of Welding Consumables for High Tensile Strength Steels | 123 |
| Y. Matsushita, N. Hara, T. Sugino, M. Otsu, K. Suenaga (<i>Kobe Steel, Japan</i>) | |

| | |
|--|-----|
| Effect of Argon Ion Bombardment on Diffusion Bonding of SU304L Stainless Steel and Pure Iron | 125 |
| A. Wang, O. Ohashi, M. Aoki, N. Yamaguchi (<i>Niigata Univ., Japan</i>) | |

Heat Affected Zone of High Strength Steels

| | |
|--|-----|
| Invited Lecture: The Significance of Softened HAZs in High Strength Structural Steels | 127 |
| H. G. Pisarski, R. E. Dolby (<i>TWI, UK</i>) | |

| | |
|--|-----|
| The Effect of Ferrite Grain Size and Impurity Elements on the Growth of Primary Austenite in the HAZ of Steels | 129 |
| Z. Tian, G. Zou, C. He, X. Zhang (<i>Central Iron and Steel Res. Inst., China</i>) | |

| | |
|---|-----|
| Effect of Heat Input on Properties of the Ultra-Fine Grained Steel Weldment | 131 |
| J. G. Youn, T. D. Park (<i>Hyundai Heavy Indus., Korea</i>) | |

| | |
|--|-----|
| Characteristics of HAZ of Ultra-Fine Grained Steel in Arc Welding | 133 |
| R. Ito, T. Nakamura, K. Hiraoka, K. Kasugai (<i>NIMS, Japan</i>) | |

| | |
|---|-----|
| High Power Laser Welding of Ultrafine Grained High Strength Steels | 135 |
| S. Tsukamoto, I. Kawaguchi, T. Otani, G. Arakane, H. Honda (<i>NIMS, Japan</i>) | |

Advanced Coal-Fired Power Plants I

| | |
|---|-----|
| Invited Lecture: State-of-the-Art of Heat Resistant Steel Technology in Japan and Prospects for the 21st Century | 137 |
|---|-----|

K. Maruyama (*Tohoku Univ., Japan*)

Invited Lecture: Present Status of Advanced Coal-Fired Power Plants Worldwide ----- 139

F. Masuyama (*Mitsubishi Heavy Indus., Japan*)

Invited Lecture: Recent Advance of Elevated-Temperature Design Based on Thermal Stress Criteria ----- 141

T. Shimakawa (*Kawasaki Heavy Indus., Japan*)

Advanced Coal-Fired Power Plants II (Steel Development)

Invited Lecture: The European Efforts in Material Development for 650°C USC Steam Power

Plants - COST522 ----- 143

T.-U. Kern (*Siemens Power Generation, Germany*), M. Staubli (*Alstom Power, Switzerland*)

Invited Lecture: Research Activities in Ultra-Steel Project for 650°C USC Boilers ----- 145

F. Abe, H. Okada, S. Wanikawa, M. Tabuchi, T. Itagaki, K. Kimura, K. Yamaguchi (*NIMS, Japan*)

Martensitic/Ferritic Super Heat-Resistant 650°C Steels - Design and Testing of Model Alloys ----- 147

V. Knezevic [1], G. Sauthoff [1], J. Vilk [1], G. Inden [1], R. Agamennone [2], W. Blum [2], Y. Wang [3], A. Scholz [3],

C. Berger [3], R. J. Ehlers [1], L. Singheiser [1]

[1]Max-Planck-Inst., Germany; [2]Universität Erlangen - Nürnberg, Germany; [3]TU Darmstadt, Germany

Selected Properties of High-Strength Ferritic Steels for Advanced Steam Power Plant ----- 149

F. Schubert, R. J. Ehlers, P. J. Ennis, W. J. Quadakkers, L. Singheiser (*Max-Planck-Inst., Germany*)

Advanced Coal-Fired Power Plants -III (Steel Development)

Production and Properties of Nano-Scale Oxide Dispersion Strengthened (ODS) Martensitic Steel Claddings ----- 151

S. Ukai [1], T. Kaito [1], S. Ohtsuka [1], M. Fujiwara [2], T. Kobayashi [3]

[1]Japan Nuclear Cycle, Japan; [2]Kobelco Res. Inst., Japan; [3]Sumitomo Metal Technol., Japan

Creep Properties of Precipitation Hardened Carbon Free New Martensitic Alloys ----- 153

S. Muneki, H. Okada, K. Yamada, H. Okubo, M. Igarashi, F. Abe (*NIMS, Japan*)

Design Principle for Improvement of Toughness of Precipitation Strengthened 15Cr Steels ----- 155

Y. Toda [1], H. Tohyama [2], K. Kimura [1], F. Abe [1]

[1]NIMS, Japan; [2]Tokyo Inst. of Technol., Japan

Properties of Advanced Austenitic Stainless Steel (TEMPALOY AA-1: 18Cr-10Ni-3Cu-Ti-Nb) for Power

Plant Application ----- 157

A. Tohyama [1], H. Hayakawa [1], Y. Minami [2] [1]NKK TUBES, Japan; [2]NKK, Japan

Welded Joints of Creep Resistant Steels

High Temperature Deformation Behavior of Dissimilar Metal Joints between Modified 9Cr-1Mo

Steel and Alloy800 ----- 159

M. Sireesha [1], J. Swaminathan [2], S. K. Albert [3], M. Kamaraj [1], S. Sundaresan [1]

[1]Indian Inst. of Technol. Madras, India; [2]Nat. Metallurgical Lab, India; [3]Indira Gandhi Centre for Atomic Res., India

Microstructural Degradation of the HAZ in 11Cr-0.4Mo-2W-V-Nb-Cu Steel (P122) During Creep ----- 161

N. Komai, F. Masuyama (*Mitsubishi Heavy Indus., Japan*)

Microstructural Investigations on Type IV Cracking in a High Cr Steel ----- 163

S. K. Albert (*Indira Gandhi Centre for Atomic Res., India*), M. Matsui, M. Tabuchi (*NIMS, Japan*)

Stress/Strain Analysis Concerning Deterioration of Creep Property at HAZ of High Cr Heat-Resisting Steel ----- 165

D. J. Li, K. Shinozaki, H. Kuroki (*Hiroshima Univ., Japan*)

Comparative Evaluation of Creep Behaviour of Plain and Modified 9Cr-1Mo Weld Joints ----- 167

K. Laha, K. S. Chandravathi, K. Bhanu Sankara Rao, S. L. Mannan (*Indira Gandhi Centre for Atomic Res, India*)

Microstructural Aspects of Creep Resistant Ferritic Steels I

Invited Lecture: Evolution of Microstructure in Creep-Resistant Steels ----- 169

H. K. D. H. Bhadeshia (*Univ. of Cambridge, UK*)

Invited Lecture: Precipitate Stability in Creep Resistant Ferritic Steels - Experimental Investigations and Modelling ----- 171

J. Hald, L. Korcakova (*Technical Univ. of Denmark, Denmark*)

Microstructural Aspects of Creep Resistant Ferritic Steels II

| | |
|---|-----|
| TTT Diagram for the Precipitation of Laves Phase in Fe-Cr-W-C Quaternary Steel Constructed by System Free Energy Theory ----- | 173 |
| Y. Murata [1], T. Koyama [2], M. Morinaga [1], T. Miyazaki [2], M. Doi [2] | |
| [1]Nagoya Univ., Japan; [2]Nagoya Inst. of Technol., Japan | |
| In-Situ Observation of Dislocation Motion and Its Mobility in Fe-Mo and Fe-W Solid Solutions at High Temperature ----- | 175 |
| D. Terada [1], F. Yoshida [1], H. Nakashima [1], H. Abe [1], Y. Kadoya [2] | |
| [1]Kyushu Univ., Japan; [2]Mitsubishi Heavy Indus., Japan | |
| Interaction between Dislocation and Copper Particles in Fe-Cu Alloys ----- | 177 |
| K. Nakashima, Y. Futamura, T. Tsuchiyama, S. Takaki (<i>Kyushu Univ., Japan</i>) | |
| Characterization of MX Distributions in P92 Steel by EF-TEM ----- | 179 |
| K. Sawada, T. Hara, K. Kubo, F. Abe (<i>NIMS, Japan</i>) | |

Microstructural Aspects of Creep Resistant Ferritic Steels III

| | |
|---|-----|
| Invited Lecture: Structure Change in Creep Deformation of Ferritic Steel ----- | 181 |
| H. Nakashima (<i>Kyushu Univ., Japan</i>) | |
| Invited Lecture: Inhomogeneous Change in Microstructure and Degradation in Long-Term Creep Strength of Ferritic Steels ----- | 183 |
| K. Kimura, H. Kushima, F. Abe (<i>NIMS, Japan</i>) | |
| Creep Modeling of 9-12%Cr Martensitic Heat Resistant Steels Based on Quantitative Analysis of Microstructural Degradation ----- | 185 |
| H. Semba (<i>Sumitomo Metal Indus., Japan</i>), B. F. Dyson, M. McLean (<i>Imperial College of Sci., Technol. and Medicine, UK</i>) | |

Microstructural Aspects of Creep Resistant Ferritic Steels IV

| | |
|---|-----|
| Creep Deformation Mechanism of Advanced Ferritic Steels for USC Power Plant ----- | 187 |
| M. Igarashi [1], S. Muneki [2], K. Yamada [2], H. Okada [2], Y. Shirai [3], F. Abe [2] | |
| [1]Sumitomo Metal Indus., Japan; [2]NIMS, Japan; [3]Osaka Univ., Japan | |
| Improvement of Creep Strength of a Tempered Martensitic 9Cr Steel by Nano-scale MX Nitrides along Lath and Grain Boundaries ----- | 189 |
| M. Taneike, K. Sawada, F. Abe (<i>NIMS, Japan</i>) | |
| Effect of B Addition on Creep Strengthening Through Precipitation Behavior in High Cr Ferritic Heat Resistant Steel --- | 191 |
| T. Azuma, K. Miki (<i>The Japan Steel Works, Japan</i>) | |
| Behavior of Boron in 9Cr-3W-3Co Ferritic Heat Resistant Steels ----- | 193 |
| Emad El-Kashif, K. Asakura, K. Shibata (<i>Univ. of Tokyo, Japan</i>) | |

High Temperature Properties of Creep Resistant Steels I

| | |
|--|-----|
| Creep Characteristics of Pd Added 9Cr Heat Resistant Steels at High Temperatures over 650°C ----- | 195 |
| H. Okada [1], K. Yamada [1], S. Muneki [1], H. Okubo [1], M. Igarashi [2], F. Abe [1] | |
| [1] NIMS, Japan; [2] Sumitomo Metal Indus., Japan | |
| Relation between Rupture Strength and Substructure ----- | 197 |
| M. Tamura [1], H. Sakasegawa [2], Y. Kato [2], A. Kohyama [2], H. Esaka [1], K. Shinozuka [1] | |
| [1] Nat. Defense Academy of Japan, Japan; [2] Kyoto Univ., Japan | |
| A Study on the Variation of the Hardness and the Creep Rupture Strength with Thermal Histories in a Mod. 9Cr-1Mo Steel ----- | 199 |
| S. H. Ryu, Y. S. Lee, B. O. Kong, J. T. Kim (<i>Doosan Heavy Indus., Korea</i>) | |
| Embrittlement in Copper Bearing Heat Resistant Martensitic Steels ----- | 201 |
| Y. Futamura, T. Tsuchiyama, S. Takaki (<i>Kyushu Univ., Japan</i>) | |

High Temperature Properties of Creep Resistant Steels II

| | |
|--|-----|
| Steam Oxidation Characteristics and Preventive Maintenance Technology of Materials for the Boilers ----- | 203 |
| M. Ishikawa, Y. Fukuda (<i>Babcock-Hitachi, Japan</i>) | |

| | |
|--|-----|
| Automated Image Processing and Analysis of Fracture Surface Patterns Formed during Creep Crack Growth in Austenitic Heat-Resisting Steels with Different Microstructures | 205 |
| M. Tanaka, R. Kato (<i>Akita Univ., Japan</i>), Y. Kimura (<i>Nippon Steel, Japan</i>) A. Kayama (<i>Furukawa Company, Japan</i>) | |
| The Occurrence of Grain Boundary Serration and Its Subsequent Effect on the Improvement of Creep-Fatigue Resistance in Austenitic Stainless Steels | 207 |
| S. W. Nam, H. U. Hong, K. J. Kim (<i>Korea Advanced Inst. of Sci. and Technol., Korea</i>) | |
| Influence of Dynamic Strain Ageing on Tensile Deformation and Fracture Behaviour of Type 316LN Austenitic Stainless Steel | 209 |
| B. K. Choudhary, K. Bhanu Sankara Rao, S. L. Mannan (<i>Indira Gandhi Centre for Atomic Res. India</i>) | |
| Creep Strengthening of Type 316 Stainless Steel Weld Metal by Nitrogen | 211 |
| M. D. Mathew, K. Bhanu Sankara Rao, S. L. Mannan (<i>Indira Gandhi Centre for Atomic Res. India</i>) | |

Application of Continuous Casting and Hot-Direct Rolling Process for Scrap Steels I

| | |
|---|-----|
| Invited Lecture: Integrated Microstructure Control for Ultra Fine Grained Steel by Advanced Processing of Melting, Solidification, Solid Phase Transformation and Deformation | 213 |
| T. Emi (<i>Seoul Nat. Univ., Korea</i>) | |
| Invited Lecture: Present State and Expected Progress in Simulation of Solidification Structure | 215 |
| T. Matsumiya (<i>Nippon Steel, Japan</i>) | |
| Microstructure Evolution of Low Carbon Steel Produced by Compact Strip Production ¹ | 217 |
| X. D. Huo, D. L. Liu, N. J. Chen, Y. L. Kang, J. Fu, D. G. Zhou (<i>Univ. of Sci. and Technol. Beijing, China</i>) | |

Application of Continuous Casting and Hot-Direct Rolling Process for Scrap Steels II

| | |
|--|-----|
| Evolution of Size, Composition and Morphology of Primary and Secondary Inclusions in Si/Mn and Si/Mn/Ti Deoxidized Steels | 219 |
| H. S Kim, H. -G. Lee (<i>POSTECH, Korea</i>), K. S. Oh (<i>POSCO, Korea</i>) | |
| Research on the Cleanliness of D Grade Q345 Steel Used in Architectural Structure | 221 |
| C. J. Zhang, K. K. Cai, L. Q. Ai (<i>Univ. of Sci. and Technol., China</i>), W. X. Yuan, Z. X. Yu (<i>Wuhan Iron and Steel, China</i>) | |
| Surface Hot Shortness Due to Cu after Simulated Cooling of Continuous Casting and Hot Direct Rolling | 223 |
| C. Nagasaki, K. Shibata (<i>Univ. of Tokyo, Japan</i>) | |
| Microstructure and Mechanical Properties of Cu-containing TRIP-aided Low Carbon Cold-Rolled Steels | 225 |
| C. G. Lee, S.-J. Kim, T.-H. Lee, C.-S. Oh (<i>Korea Inst. of Machinery and Materials, Korea</i>) | |
| Structure Formation of Continuously Cast 0.1 mass % C Steel with High Phosphorous | 227 |
| N. Yoshida, K. Nagai (<i>NIMS, Japan</i>), O. Umezawa (<i>Yokohama Nat. Univ., Japan</i>) | |
| Microstructural Change by Heavy Deformation After Reheating for Cast Slabs of 0.1mass% Carbon Steel | 229 |
| T. Yamashita, S. Torizuka, K. Nagai (<i>NIMS, Japan</i>) | |

Application of Continuous Casting and Hot-Direct Rolling Process for Scrap Steels III

| | |
|---|-----|
| Invited Lecture: Research and Development of New Hot-Direct Rolling Process | 231 |
| K. Yamamoto, R. Hashimoto, H. Furumoto, H. Nakajima, H. Takatani (<i>Mitsubishi Heavy Ind., Japan</i>), H. Tsukamoto (<i>Ryomei Engineering, Japan</i>) | |
| Invited Lecture: Microstructure Control in Near-Net Fabrication Process | 233 |
| K. Nagai (<i>NIMS, Japan</i>) | |
| Effect of Diffusion of {100} Parallel to the ND Plane by Cross Roll Rolling on the Charpy Impact Properties in Low Carbon Steels | 235 |
| T. Hanamura, S. Torizuka, K. Nagai (<i>NIMS, Japan</i>) | |
| Effect of Microstructure on the Yield Ratio and Low Temperature Toughness of API Steel | 237 |
| S. G. Kim [1], Y. M. Kim [2], S. Lee [2], Y. J. Lim [3], N. J. Kim [2] [1]POS Lab., Korea; [2]Pohang Univ. of Sci. & Technol., Korea; [3]POSCO, Korea | |

Structures Resistant to Hydrogen Embrittlement I

| | |
|---|-----|
| Invited Lecture: The Nature and Consequences of Coherent Transformations in Steel | 239 |
| J. W. Morris, Jr. [1], C. S. Lee [2], Z. Guo [3] | |

[1]Univ. of California, USA; [2]POSCO, Korea; [3]Intel, USA

| | |
|---|-----|
| Improvement of Delayed Fracture Resistance in High Strength Steels by Control of Grain Boundary Structure ----- | 241 |
| K. Tsuzaki, Y. Kimura, T. Hara (<i>NIMS, Japan</i>) | |
| Effect of Molybdenum on Mechanical Property and Delayed Fracture Resistance of High Strength Steel ----- | 243 |
| W. J. Hui, H. Dong (<i>Central Iron and Steel Res. Inst., China</i>), Y. Q. Weng (<i>The Chinese Society for Metals, China</i>) | |
| The Properties of a Low Carbon Steel with Carbide-Free Bainite-Martensite Duplex Microstructure ----- | 245 |
| D. Y. Liu, B. Z. Bai, H. S. Fang, Z. G. Yang (<i>Tsinghua Univ., China</i>) | |
| Delayed Fracture Properties of 1500 MPa Bainite/Martensite Dual-Phase High Strength Steel and Its Hydrogen Traps ----- | 247 |
| J. L. Gu, K. D. Chang, H. S. Fang, B. Z. Bai (<i>Tsinghua Univ., China</i>) | |

Structures Resistant to Hydrogen Embrittlement II

| | |
|---|-----|
| Invited Lecture: High Strength Stainless Steel : 3000 MPa and More ----- | 249 |
| M. O. Speidel, M. L. Cui- Zheng, Paolo Cobelli, Hannes Speidel (<i>ETH Zurich, Switzerland</i>) | |
| Invited Lecture: Local Approach to Transferability Analysis of Brittle Fracture ----- | 251 |
| F. Minami (<i>Osaka Univ., Japan</i>) | |
| Evaluation of Hydrogen Embrittlement Fracture of High Strength Steel with Local Approach ----- | 253 |
| S. Takagi [1], T. Inoue [2], S. Terasaki [2], K. Tsuzaki [2], F. Minami [3] | |
| [1] <i>Kawasaki Steel, Japan</i> ; [2] <i>NIMS, Japan</i> ; [3] <i>Osaka Univ. Japan</i> | |

The State of Hydrogen and Its Effect on Fractures I

| | |
|--|-----|
| Invited Lecture: Interactions Between Fatigue Damage and Hydrogen ----- | 255 |
| M. Nagumo, H. Shimura, T. Chaya (<i>Waseda Univ., Japan</i>), H. Hayashi, I. Ochiai (<i>Suzuki Metal, Japan</i>) | |
| Atomistic Behavior of Hydrogen in Iron from <i>ab-initio</i> Calculations ----- | 257 |
| Y. Tateyama, T. Ohno (<i>NIMS, Japan</i>) | |
| Quantitative Visualization of Hydrogen Evolved from Steel by Hydrogen Microprint Technique ----- | 259 |
| K. Ichitani, S. Kuramoto, A. Nagao, M. Kanno (<i>Univ. of Tokyo, Japan</i>) | |

The State of Hydrogen and Its Effect on Fractures II

| | |
|--|-----|
| Microstructural Study of 1500 MPa CrMo Steel by Use of TEM, EDS Mapping and EELS ----- | 261 |
| X. Z. Zhang, Y. Ma, J. Yuan (<i>Tsinghua Univ., China</i>) | |
| EF-TEM and HREM Observations of V-bearing Steels ----- | 263 |
| T. Hara, T. Tsuchida, K. Tsuzaki (<i>NIMS, Japan</i>) | |
| <i>In situ</i> SEM Study on Hydrogen-Induced Cracking of Ni ₃ Al + NiAl ----- | 265 |
| J. X. Li, Y. B. Wang, L. J. Qiao, W. Y. Chu, H. Q. Li (<i>Univ. of Sci. and Technol. Beijing, China</i>) | |
| Environment Assisted Cracking of TiAl - Thermodynamics and Electrochemical Considerations ----- | 267 |
| T. Sundararajan, T. Haruna, S. Fujimoto, T. Shibata (<i>Osaka Univ., Japan</i>) | |

Structures Resistant to Fatigue I

| | |
|---|-----|
| Invited Lecture: High Strength Steels for Automobile Application ----- | 269 |
| T. Kitayama (<i>Honda R&D, Japan</i>) | |
| Corrosion Fatigue Life Improvement in High Strength Suspension Spring Steel ----- | 271 |
| T. Nakayama, A. Inada, M. Shimotsusa, N. Ibaraki (<i>Kobe Steel, Japan</i>) | |
| The Study of Fatigue Properties on a 1500 MPa Bainite/Martensite Dual-Phase High Strength Steel ----- | 273 |
| D. Y. Wei, J. L. Gu, H. S. Fang, B. Z. Bai (<i>Tsinghua Univ., China</i>) | |

Structures Resistant to Fatigue II

| | |
|--|-----|
| Invited Lecture: Influence of Nonmetallic Inclusions on Fatigue Strength of High Strength Steels ----- | 275 |
| Y. Murakami (<i>Kyushu Univ., Japan</i>) | |
| Invited Lecture: 1500-MPa-Plus-Class Martensitic Steel -Creation of Martensitic Microstructures with High Resistance Against Giga-Cycle Fatigue----- | 277 |
| S. Matsuoka (<i>NIMS, Japan</i>) | |

| | |
|---|-----|
| The Fatigue Behaviors of Fine Grained High Strength Alloy Structural Steels ----- | 279 |
| S. X. Li, Z. G. Yang, W. C. Yu, Z. X. Yin, G. Yao, G. Y. Li (<i>Shenyang Nat. Lab. for Materials Sci., China</i>) | |
| Z. M. Chu (<i>Beijing Res. Inst. of Mechanical and Electric Technol., China</i>) | |
| M. Q. Wang, W. J. Hui, H. Dong, Y. Q. Weng (<i>Central Iron and Steel Res. Inst., China</i>) | |

Corrosion Control of Infrastructure I

| | |
|---|-----|
| Invited Lecture: Prevention of Chloride-Induced Corrosion Damage to Bridges ----- | 281 |
| S. D. Cramer, B. S. Covino, Jr., S. J. Bullard, G. R. Holcomb, J. H. Russell, Margaret Ziomek-Moroz (<i>Albany Res. Center, DOE, USA</i>), Y. P. Virner (<i>FHWA, USDOT, USA</i>), J. T. Butler (<i>Joseph T. butler, Inc., USA</i>) | |
| F. J. Nelson (<i>Ornge Dept. of Transportation, USA</i>), N. G. Thompson (<i>CC Technol., USA</i>) | |
| Invited Lecture: Resource-Efficient Weathering Steels for Uncoated Structures in Coastal Atmosphere ----- | 283 |
| T. Kodama, T. Nishimura (<i>NIMS, Japan</i>) | |
| Invited Lecture: Trends in Low-VOC, Environment-Friendly Organic Coatings for Infrastructure ----- | 285 |
| H. Tanabe (<i>Dai Nippon Toryo, Japan</i>) | |

Corrosion Control of Infrastructure II

| | |
|---|-----|
| Nano-Structure of Protective Rust Layer on Weathering Steel Exposed in Nation-Wide Environments in Japan ----- | 287 |
| M. Yamashita [1], H. Konishi [2], J. Mizuki [2], H. Uchida [1] [1] <i>Himeji Inst. of Technol., Japan</i> ; [2] <i>Japan Atomic Energy Res. Inst., Japan</i> | |
| Characterization of Nanostructure of Rusts Formed on Weathering Steel ----- | 289 |
| M. Kimura, T. Suzuki, Y. Ikematsu, G. Shigesato, S. Suzuki, H. Kihira (<i>Nippon Steel, Japan</i>) | |
| Computer-Aided Corrosion Prediction for Durability Design of Weathering Steel Structures ----- | 291 |
| H. Kihira (<i>Nippon Steel, Japan</i>) | |
| New Weathering Steels of Extremely-Low Carbon Bainitic Type with Excellent Weldability ----- | 293 |
| K. Shiotani, K. Nishimura, T. Hoshino, K. Amano (<i>Kawasaki Steel, Japan</i>) | |
| Analysis and Clarification of Chemical State for Alloying Element in Iron Rust ----- | 295 |
| T. Nishimura, T. Kodama (<i>NIMS, Japan</i>) | |
| Evaluation of Corrosion Environments of Structural Parts of Weathering Steel Bridges by Monitoring with Corrosion Sensors ----- | 297 |
| M. Takemura, H. Kajiyama, S. Fujita (<i>NKK, Japan</i>) | |

Corrosion Control of Infrastructure III

| | |
|--|-----|
| Microstructure Characteristics and Corrosion Behaviour of HVOF Sprayed Metallic Coatings ----- | 299 |
| A. J. Sturgeon, R. E. Dolby (<i>TWI, UK</i>) | |
| Fabrication of TiO ₂ Coating Photocatalyst onto Infrastructure Surface ----- | 301 |
| M. Fukumoto, Y. G. Jung, T. Suzuki (<i>Toyohashi Univ. of Technol., Japan</i>) | |
| Development of Dense Corrosion Resistant Coatings by an Improved HVOF Spraying Process ----- | 303 |
| S. Kuroda, T. Fukushima, J. Kawakita (<i>NIMS, Japan</i>) | |
| Electrochemical Evaluation and Field Exposure Tests of HVOF Sprayed Alloy Coatings for Marine Environments ----- | 305 |
| J. Kawakita, T. Fukushima, S. Kuroda, T. Kodama (<i>NIMS, Japan</i>) | |

Corrosion Control of Infrastructure IV

| | |
|---|-----|
| Resistance of Thermal Sprayed Coatings of Zn, Al and Zn-Al Alloy against Atmospheric Corrosion ----- | 307 |
| T. Suzuki (<i>Suzuki Consultant Office, Japan</i>), H. Nuriya (<i>Nihon Univ., Japan</i>), K. Ishikawa (<i>Tokyo Metallikon, Japan</i>), Y. Kitamura (<i>Kitamura Technical Consultant Office, Japan</i>) | |
| Deposition of Component Controlled Steel Coatings by Atmospheric Thermal Plasma Spray Using Shroud Equipped Thermal Spray Gun ----- | 309 |
| T. Yamazaki, Y. Ando, S. Tobe (<i>Ashikaga Inst. of Technol., Japan</i>) | |
| Improvement of Wear Resistance of Steels by Nitriding Using Supersonic Expanding Nitrogen Plasma Jets ----- | 311 |
| Y. Ando, T. Saito, S. Tobe (<i>Ashikaga Inst. of Technol., Japan</i>) H. Tahara, T. Yoshikawa (<i>Osaka Univ., Japan</i>) | |
| Atmospheric Corrosion Database of Low Alloy Steels in NIMS ----- | 313 |
| A. Tahara, H. Katayama, T. Kodama (<i>NIMS, Japan</i>) | |

New Stainless Steels I

| | |
|--|-----|
| Invited Lecture: High Nitrogen Austenitic Steels: The New Corrosion Resistant Materials ----- | 315 |
| M. O. Speidel (<i>ETH, Zurich, Switzerland</i>) | |
| Creation of High Nitrogen-Bearing Stainless Steel and Its Mechanical Properties ----- | 317 |
| Y. Katada, S. Sagara, Y. Kobayashi, T. Kodama (<i>NIMS, Japan</i>) | |
| Study on the Weldability of High Nitrogen Stainless Steels ----- | 319 |
| M. Ogawa, K. Hiraoka, Y. Katada, M. Sagara, S. Tsukamoto (<i>NIMS, Japan</i>) | |
| Mechanical Properties of Weld Metal for High Nitrogen Stainless Steel ----- | 321 |
| O. Kamiya [1], Y. Kikuchi [2], Z. W. Chen [3] | |
| [1] <i>Akita Univ., Japan</i> ; [2] <i>Osaka Univ., Japan</i> ; [3] <i>Auckland Univ. of Technol., New Zealand</i> | |
| Localized Corrosion Behavior of High Nitrogen-Bearing Austenitic Stainless Steels in Seawater Environment ----- | 323 |
| M. Sagara, Y. Katada, T. Kodama (<i>NIMS, Japan</i>) | |

New Stainless Steels II

| | |
|--|-----|
| Influence of Alloying Elements on Pitting Corrosion Resistance of High Nitrogen-Bearing Cr-Mn Steels ----- | 325 |
| M. Fujisawa, Y. Katada, T. Kodama (<i>NIMS, Japan</i>) | |
| Effect of Grain Refinement on Strength and Corrosion Resistance of AISI 304 Stainless Steels ----- | 327 |
| A. Di Schino [1], I. Salvatori [2], J. M. Kenny [1] | |
| [1] <i>Univ. of Perugia, Italy</i> ; [2] <i>Centro Sviluppo Materiali, Italy</i> | |
| Strengthening of a Structural High Nitrogen Austenitic Stainless Steel by Grain Refinement ----- | 329 |
| I. Salvatori [1], A. Di Schino [2], J. M. Kenny [2] | |
| [1] <i>Centro Sviluppo Materiali, Italy</i> ; [2] <i>Univ. of Perugia, Italy</i> | |
| Effect of Nitrogen Alloying on the Pitting of Stainless Steel ----- | 331 |
| H. Yashiro, D. Hirayasu, N. Kumagai (<i>Iwate Univ., Japan</i>) | |
| Passive Film Modification Toward Preventing Stress Corrosion Cracking of Stainless Steel ----- | 333 |
| T. Haruna [1], T. Nakamura [2], T. Shibata [3] | |
| [1] <i>Osaka Univ., Japan</i> ; [2] <i>Murata Manufacturing, Japan</i> ; [3] <i>Fukui Univ. of Technol., Japan</i> | |

Surface Modification and Surface Treatment

| | |
|--|-----|
| Invited Lecture: Corrosion Resistance of Stainless Steels in Comparison with the Properties of Artificial Passivity ----- | 335 |
| K. Sugimoto (<i>Tohoku Univ., Japan</i>) | |
| Synergistic Effect of Impurities on the Transpassive Corrosion of High-purity Fe-18Cr-14Ni Alloys ----- | 337 |
| M. Mayuzumi, J. Ohta, K. Kako, E. Kawakami (<i>Central Res. Inst. of Electric Power Industry, Japan</i>) | |
| Characterizaion of Stainless Iron Metal Plates Under Compression ----- | 339 |
| A. Fayza, A. Zghal (<i>LMSTD-Ecole Superieur des Sci. et Techniques de Tunis, Tunisie</i>) | |
| A New Surface Treatment by Pulsed Plasma Nitriding for Chromium Plated Austenitic Stainless Steel ----- | 341 |
| P. Kuppusami, A. Dasgupta, V. S. Raghunathan (<i>Indira Gandhi Centre for Atomic Res., India</i>) | |

Novel Methods in Surface Analyses I

| | |
|---|-----|
| Invited Lecture: Surface Analysis of Corrosion ----- | 343 |
| H. S. Isaacs (<i>Brookhaven Nat. Lab., USA</i>) | |
| Invited Lecture: Novel Methods of Detecting Non-Homogeneity in Surface Films ----- | 345 |
| M. Seo, K. Fushimi (<i>Hokkaido Univ., Japan</i>) | |

Novel Methods in Surface Analyses II

| | |
|--|-----|
| Invited Lecture: In-situ, Nanoscopic Measurements of Atmospheric Corrosion of Steels ----- | 347 |
| H. Masuda (<i>NIMS, Japan</i>) | |
| New Experimental Approach to Estimate the Local Anodic Currents from the Corresponding Potential Transients Measured under Open-Circuit Conditions ----- | 349 |
| H. Inoue, Y. Tanaka, Y. Maeda (<i>Osaka Prefecture Univ., Japan</i>) | |

| | |
|--|-----|
| <i>In situ</i> Observation of Pitting of Stainless Steel by SR-XAFS ----- | 351 |
| M. Kimura, M. Kaneko, T. Suzuki (<i>Nippon Steel, Japan</i>) | |
| Raman Spectroscopy for Corrosion Products Formed on Zinc and Zinc Coated Steels in Humid Air with NaCl Particles ----- | 353 |
| T. Ohtsuka, M. Matsuda (<i>Hokkaido Univ., Japan</i>) | |
| Novel Methods in Surface Analyses III | |
| Effect of Water Film Thickness on Atmospheric Corrosion Rate of Carbon Steel ----- | 355 |
| H. Katayama, K. Noda, T. Kodama (<i>NIMS, Japan</i>), M. Yamamoto (<i>Nippon Steel, Japan</i>) | |
| Electrochemical Corrosion Measurements using Scanning Focused Light Beam ----- | 357 |
| S. Fujimoto, T. Haruna (<i>Osaka Univ., Japan</i>), T. Shibata (<i>Fukui Univ., Japan</i>) | |
| Surface Potential and pH Distribution in Initial Rusting Process of Low Alloy Steels ----- | 359 |
| K. Noda [1], M. Yamamoto [2], H. Masuda [1], T. Kodama [1] | |
| [1] <i>NIMS, Japan</i> ; [2] <i>Nippon Steel, Japan</i> | |
| The Effect of Surface Fixed Charge on Corrosion ----- | 361 |
| M. Masuda, H. Sakamoto, K. Harada, Y. Hayashi (<i>Kyushu Univ., Japan</i>) | |
| Relationship Between Localized Corrosion of Stainless Steel in Seawater and Activity of Marine Microorganisms Adhering to Surfaces ----- | 363 |
| N. Washizu (<i>NIMS, Japan</i>) | |
| Author Index ----- | 365 |